

Colour Laser Multifunctional Printer

i-SENSYS
MF8050Cn

you can



Share impressive colour and convenience to boost your business.

Share professional colour output and 4-in-1 functionality with this compact unit. Network ready, easy to use and energy efficient, it's a total colour communications centre for small businesses.

8 PPM COLOUR/
12 PPM MONO
PRINTING
& COPYING

PAPER CAPACITY
MAX.151-SHEET

QUICK
FIRST-PRINT

UP TO
2400 X 600 DPI
PRINT RESOLUTION

5-LINE
LCD DISPLAY

Key features

- Compact colour laser All-in-One: print, fax, copy and scan
- 8 ppm/cpm in colour, 12 ppm/cpm in mono
- Superior colour imaging technologies for crisp text and vibrant colours
- Up to 2400 x 600 dpi print resolution
- No waiting with Quick First-Print technologies
- User friendly 5-line LCD display
- Easy scan to network and to USB memory key
- 50-sheet ADF, 150-sheet cassette
- Energy efficient - only 3 watts in sleep mode
- Convenient All-in-One colour cartridges

What's in the Box

Main unit, Cartridge 716 starter C/M/Y/K, power cord, telephone line cable, starter guide and warranty card - with user software and manual CDs.

Dimensions (W x D x H)

430 x 484 x 429 mm

Supported OS

Windows 2000/Server 2003/
Server 2008/XP/Vista
Mac OS X Version 10.4.9 - 10.5.x
(Web distribution only, network scanning not supported)



PRINT



COPY



FAX



SCAN

Canon

i-SENSYS MF8050Cn

Specifications



- 1** Flatbed & 50-sheet ADF
- 2** 5-line LCD display
- 3** 150-sheet cassette
- 4** Cartridge 716
(4 colours available: Cyan, Magenta, Yellow and Black)

Machine type Available functions	Colour Laser All-In-One Print, Copy, Scan and Fax
PRINTER Print speed Printing method Print quality Print resolution Printer languages Print margins Toner saver mode	Up to 8 ppm colour (A4) Up to 12 ppm mono (A4) Colour laser beam printing Up to 2400 x 600 dpi with Automatic Image Refinement 600 x 600 dpi UFRII-LT 5 mm-top, bottom, left and right Yes
COPIER Copy speed First Copy Output Time (FCOT) Copy resolution Copy modes Multiple copy Reduction / Enlargement Other features	Up to 8 cpm colour (A4) Up to 12 cpm mono (A4) Colour Approx. 29 seconds or less Mono Approx. 23 seconds or less Up to 600 x 600 dpi Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text Up to 99 copies 25-400% in 1% increments Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy
SEND FUNCTIONS Scan to USB memory key File formats	Yes PDF
SCANNER Type Scan resolution Colour scanning depth Greyscales Compatibility Max. scan width Fax Modem speed Receive mode Fax resolution FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup Other features	Colour Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi 24 bit/24 bit (input/output) 256 levels TWAIN, VIA 216 mm Super G3 33.6kbps (Up to 3 seconds/page ¹) Fax only, Fax/Tel Auto Switch, Answer Mode, Manual RX Standard: 200 x 100 dpi Fine: 200 x 200 dpi Photo: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi Up to 512 pages ¹ Max. 200 (including 19 one-touch dials) Max. 199 dials / Max. 199 destinations Max. 201 locations 5 mins Fax Forwarding, Dual Access, Remote Reception, PC FAX (TX only)
MEDIA HANDLING Scanner type Paper input (Standard) Paper output Media types	Flatbed and Automatic Document Feeder (ADF) 150-sheet cassette 1-sheet manual feed slot 50-sheet ADF 125-sheet Plain paper, Recycled paper, Heavy Paper, Transparency, Coated Paper, Label, Index card, Envelope

Media sizes	Cassette : A4, A5, B5, Legal, Letter, Executive, Statement, Envelope (COM10, Monarch, DL, ISO-C5, ISO-B5), Custom sizes: Width 76.2 to 215.9 mm; Length 127.0 to 355.6 mm Manual feed slot: A4, A5, B5, Legal, Letter, Executive, Statement, Envelope (COM10, Monarch, DL, ISO-C5, ISO-B5), Custom sizes: Width 76.2 to 215.9 mm; Length 127.0 to 355.6 mm ADF: A4, A5, B5, Legal, Letter, Statement, Custom sizes (W x L): Max. 215.9 mm x 355.6 mm; Min. 128 mm x 139.7 mm
Media weights	Cassette: 60 to 163 g/m ² Manual feed slot: 60 to 220 g/m ² ADF: 50 to 105 g/m ²
INTERFACE & SOFTWARE Interface type Operating System compatibility Software and printer management	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX Windows 2000/ Server 2003/ Server 2008/ XP/ Vista Mac OS X version 10.4.9 - 10.5.x ^{2,3} Presto! Page Manager, MF Toolbox, NetSpot Device Installer, Remote User Interface (RUI), Department ID Management
GENERAL FEATURES Duty cycle Warm-up Time Memory Control panel Dimensions with trays (W x D x H) Installation space (W x D x H) Weight Operating environment Power Source Power Consumption Noise Levels	Max. 30,000 pages per month Approx. 30 seconds from power on 128MB (shared) 5 lines backlit LCD 430 mm x 484 mm x 429 mm 674 mm x 1229 mm x 801 mm Approx. 25 Kg Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) 220-240V (±10%) 50/60Hz (±2Hz) Maximum: Approx. 900 W Standby: Approx. 16 W Sleep mode: Approx. 3 W Typical Electricity Consumption (TEC): 0.62 kWh/week Sound Pressure*: Active: 63.4 dB(A) or less Standby: 50 dB(A) or less
CONSUMABLES Cartridges	Cartridge 716 Black (2,300 pages ⁵) ⁶ Cartridge 716 Cyan (1,500 pages ⁵) ⁶ Cartridge 716 Magenta (1,500 pages ⁵) ⁶ Cartridge 716 Yellow (1,500 pages ⁵) ⁶
ACCESSORIES/ OPTIONS Items	TEL 6 KIT LONG CORD (Telephone handset)
All specifications subject to change without notice	
¹ Based on ITU-T Standard Chart No. 1 ² Web distribution only ³ Network scanning not supported ⁴ Declared noise emission in accordance with ISO 9296 ⁵ Based on ISO/IEC 19798 ⁶ Printer ships with 800 pages CMYK (Cyan, Magenta, Yellow and Black) starter cartridges	



Canon Inc.
www.canon.com

Canon Europa
www.canon-europe.com

English-UK Edition
© Canon Europa 2009 (0709)

Canon (UK) Ltd
Woodhatch, Reigate
Surrey RH2 8BF
Telephone No: 01737 220000
Facsimile No: 01737 220022
www.canon.co.uk

Canon Ireland Arena
Road, Sandyford
Industrial Estate
Dublin 18, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2958141
www.canon.ie

Colour Laser Multifunctional Printer

i-SENSYS
MF8050Cn

you can



- 1 Flatbed & 50-sheet ADF
- 2 5-line LCD display
- 3 150-sheet cassette
- 4 Cartridge 716
(4 colours available: Cyan, Magenta, Yellow and Black)

Share impressive colour and convenience to boost your business. The i-SENSYS MF8050Cn is part of the Canon Colour Laser Multifunctional Printer range.

Sales Start Date: **November 2009**

The whole range consists of:

Colour: MF8030Cn, **MF8050Cn**, MF8330Cdn, MF8350Cdn, MF8450, MF9130, MF9170

Box Dimensions (W x D x H)

535 x 565 x 545 mm

Box weight

Approx. 31 kg

Packet style Quantity

Pallet	8
20ft Container	—
40ft Container	—

MERCURY CODES

PRODUCT		
Name	Mercury Code	EAN Code
MF8050Cn	3556B018AA	8714574537863
OPTIONS		
Accessories		
Telephone 6 Kit EU (CW)	Mercury Code 0752A054AA	EAN Code 4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	0752A055AA	4960999453927
CONSUMABLES		
Toner		
Cartridge 716 C Cyan (1,500 pages*)	Mercury Code 1979B002AA	EAN Code 4960999610924
Cartridge 716 M Magenta (1,500 pages*)	1978B002AA	4960999610894
Cartridge 716 Y Yellow (1,500 pages*)	1977B002AA	4960999610863
Cartridge 716 B Black (2,300 pages*)	1980B002AA	4960999610955
EASY SERVICE PLAN		
Details		
3yr on-site next day service M4	Mercury Code 093ZZ331	EAN Code 8714574979809
Installation Service N2	093ZZ326	8714574979755

* Based on ISO/IEC 19798



PRINT



COPY



FAX



SCAN

Canon